

Z COLLECTION

DORA:

-Material: Porcelain Body

- Sizes:

- 4,6x37,5 cm / 1.8"x14.5"

- Available colours:

- 3 Gloss Colours + 6 Matt Colours

- Different patterns & reliefs:

	SHADES	RELIEFS
Marble	80	6
Stone	48	6
Natural	60	4
Walnut	48	4
Concrete	80	0
Sand	48	0
Lagoon Gloss	20	8
Leaf Gloss	20	8
Marine Gloss	20	8

- Technical features:

	PEI	NON-SLIP
Marble	3	R10 - Class 2 DCOF > 0.42
Stone	3	
Natural	3	
Walnut	3	
Concrete	3	
Sand	3	
Lagoon Gloss	3	Class 0 DCOF > 0.42
Leaf Gloss	2	
Marine Gloss	2	

- Tecnics / innovation / inspiration: The Dora collection stands out for its versatility and balance between finishes and shapes. With six key matte materials (wood, stone, and cement) and three glossy crystalline glazes, it offers the perfect combination to create spaces with personality and harmony. The result is a collection that plays with materials and a stylized format to offer a sophisticated and contemporary design.

USES OF THE COLLECTION

MATERIAL	INDOOR WALL	OUTDOOR WALL	INDOOR FLOOR	OUTDOOR FLOOR	SHOWERS & STEAM S.	POOL
PORCELAIN BODY	●	●	●	Matt colours	●	●

Z
COLLECTION

P **\$** D31



Lagoon
Gloss



Leaf
Gloss



Marine
Gloss



Marble



Stone



Natural



Walnut



Concrete



Sand

Dry-pressed porcelain tiles with water absorption B la $\leq 0,5\%$ for interior and exterior floors and walls.

Baldosas cerámicas prensadas en seco con absorción de agua B la $\leq 0,5\%$ para suelos y paredes interiores y exteriores.

FEATURES / CARACTERÍSTICAS

SPECIFICATION / ESPECIFICACIÓN

NORMA



Dimensional Features

47 \pm 0,5mm x 374 \pm 2mm x 8,5 mm \pm 0,5mm

UNE-EN ISO 10545-2:2019



Water absorption

< 0.5%

UNE-EN ISO 10545-3:2018



Modulus of rupture and breaking strength

≥ 35 N/mm²
 ≥ 1300 N

UNE-EN ISO 10545-4:2019



Crazing resistance

Pass

UNE-EN ISO 10545-11:1997



Household products resistance

GA

UNE-EN ISO 10545-13:2017



Chemical resistance

GHA

UNE-EN ISO 10545-13:2017



Stain resistance

5

UNE-EN ISO 10545-14:2015



Abrasive Resistance

PEI 2: Leaf Gloss & Marine Gloss
PEI 3: Marble, Stone, Sand, Concrete, Natural,
Walnut & Lagoon Gloss

UNE-EN ISO 10545-7:1999



Frost resistance

Pass

UNE-EN ISO 10545-11:1997



Non-slip Value

R10 / Class 2 / DCOF > 0.42

Gloss: Class 0 / DCOF < 0.42

UNE-EN 16165:2022 / ANSI A137.1:2012



Tone Variation

V4



Porcelain Body

-

-