



RASO
Collection

Z
COLLECTION



RCGD RASO Yellow Semimatt 5x30cm

RASO

A porcelain stoneware product with semi-matt finish reproduces gentle surface variations that generate intense modulations in shade. The long, narrow small size with its streamlined look inspires original compositions in residential and commercial spaces. The new 5.3x30 cm size with its uneven edges covers walls and floors with varied patterning with a crafted "feel", cleverly adapted to a contemporary style.




RA2Z Argent Avorio Strutturato 6 Mm 120x120cm - RCGA RASO White Semimatt 5x30cm - RCGF RASO Green Semimatt 5x30cm

Porcelain Stoneware



Black

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGH | RASO Black Semimatt | MM 10 | | | | | | | | | | | | | 34 | 0,54 | 11,52 | 80 | 43,25 | 921,74 |



Brick

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGE | RASO Brick Semimatt | MM 10 | | | | | | | | | | | | | 34 | 0,54 | 11,32 | 80 | 43,25 | 905,72 |



Green

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGF | RASO Green Semimatt | MM 10 | | | | | | | | | | | | | 34 | 0,54 | 11,27 | 80 | 43,25 | 901,38 |

Porcelain Stoneware



Light Blue

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|--------------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGG | RASO Light Blue Semimatt | MM 10 | | | | | | | | | | | | | 34 | 0,54 | 11,21 | 80 | 43,25 | 897,08 |



Petal


| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGC | RASO Petal Semimatt | MM 10 | | | | | | | | | | | | | 34 | 0,54 | 11,12 | 80 | 43,25 | 889,33 |






White

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGA | RASO White Semimatt | MM 10 | | | | | | | | | | | | | 34 | 0,54 | 11,29 | 80 | 43,25 | 903,07 |



Porcelain Stoneware



Yellow

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|----------|------------|------|----------------------|----------|-------|--|---|---|-----|----------------|---------------|---------------------|------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 5,3x30cm | Semimatt | RCGD | RASO Yellow Semimatt | MM 10 | |   |  | | | | | | | | | | 34 | 0,54 | 11,67 | 80 | 43,25 | 933,48 |

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run



















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| ISO 14001 | ISO 50001 | ISO 45001 | ISO 9001 | Green Building Council | GPP | EPD Italy | ISO 17889-1 |
|  |  |  |  |  |  |  |  |
| Greenguard | LEED Credits | FDES | Declare | HPD | CAM Fiorano | CCC | CE 009MRZI |
|  |  | | | | | | |
| UKCA 00 9MRZUK | SASO | | | | | | |

