

## Z COLLECTION

### **LOLA:**

**-Material:** Porcelain Body / White Body

**-Sizes:**

- Lola - 5x16 cm / 2"x6.3"
- Lola Square - 18.5x18.5 cm / 7"x7"
- Lola Rounded Edge - 1,1x16 cm / 0.43"x6.3"

**-Available colours:**

- Lola - 4 Colours (1 Gloss + 3 Matt)
- Lola Decor - 3 colours (Gloss / Matt)
- Lola Square - 3 Colours (Matt)

**-Different patterns & reliefs:**

- Lola - 24 Shades for each colour + 10 Reliefs\*
- Lola Decor - 24 Shaes for each colour + 10 Reliefs\*
- Lola Square - 8 Shades for each colour + 8 Reliefs\*\*

**-Technical features:** R10 / Class 2 / DECOF >0,42 / PEI 2-3

- Lola Square (Porcelain Body) - R10 / Class 2 / DECOF >0,42 / PEI 2 (Tobac) - 3 (Natural, Cotto)

**-Tecnic / innovation / inspiration:** This is a piece made with glaze injection, which allows controlling the amount of glaze for each piece to create materic effects and tone variations, simulating reactive glaze without actually being so. It draws inspiration from glossy vitreous finishes.



\* Casablanca collection relief.

\*\*Mestizaje - Chateu collection relief.

**Z**  
COLLECTION

**LOLA**  
5,2x16 cm / 2"x6.3"



  D25-28



Indoor / Interior	Outdoor / Exterior	Floor / Pavimento	Wall / Pared	Pool / Piscina	Non-slip value / Valor Antislip
●			●		

**LOLA SQUARE**  
18,5x18,5 cm / 7"x7"

  D20



Indoor / Interior	Outdoor / Exterior	Floor / Pavimento	Wall / Pared	Pool / Piscina	Non-slip value / Valor Antislip
●	●	●	●	●	Class 2 / R10 >0,42

**LOLA ROUNDED EDGE**  
1,1x16 cm / 0.43"x6.3"

  DS2



\* Available in All **Lola** Colours.

\* Disponible en todos los colores **Lola**.

**Dry-pressed porcelain tiles with water absorption B la ≤ 0,5% for interior and exterior floors and walls.**

Baldosas cerámicas prensadas en seco con absorción de agua B la ≤ 0,5% para suelos y paredes interiores y exteriores.

FEATURES / CARACTERÍSTICAS

SPECIFICATION / ESPECIFICACIÓN

NORMA

	Dimensional Features	<p>BOW: 52 ± 0,75 mm x 160 ± 0,8 mm x 8 mm ± 0,5 mm</p> <p>BOW SQUARE: 186 ± 1,1 mm x 186 ± 1,1 mm x 8,5 mm ± 0,5 mm</p>	UNE-EN ISO 10545-2:2019
	Water absorption	<p>BOW: <math>E_w \leq 0,5\%</math></p> <p>BOW SQUARE: <math>E_w &gt; 10\%</math></p>	UNE-EN ISO 10545-3:2018
	Modulus of rupture and breaking strength	<p>BOW: <math>\geq 12 \text{ N/mm}^2</math>    <math>\geq 600 \text{ N}</math></p> <p>BOW SQUARE: Minimum 35 N/mm<sup>2</sup>    Individual Minimum 32 N/mm<sup>2</sup></p>	UNE-EN ISO 10545-4:2019
	Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
	Household products resistance	GA	UNE-EN ISO 10545-13:2017
	Chemical resistance	GHA	UNE-EN ISO 10545-13:2017
	Stain resistance	>3	UNE-EN ISO 10545-14:2015
	Frost resistance	Pass	UNE-EN ISO 10545-11:1997
	Tone Variation	<p>BOW SQUARE: PEI 2: Tobac PEI 3: Natural &amp; Cotto</p>	UNE-EN ISO 10545-7:1999
	Tone Variation	V3	-
	Porcelain body	BOW SQUARE	-
	White body	BOW	-